

# AC 500

Cummins  
Mecc Alte  
D+ &



<b>ISO8528</b>	GC ; ) &
<b>SZUTEST</b>	GC - \$\$\$
<b>CE</b>	

2000/14/EC &\$\$\$( # z) \$ z'z' D:

	"	"	"	"	Amp
400/230	500,00	400,00	455,00	364,00	656,00

Standard Specifications

ALTERNATOR

TRANSFER SWITCH

# AC 500

Cummins  
Mecc Alte  
D+' &'

Manufacturer		Cummins		
Model		QSX 15 G6		
		%\$\$' "# "		
		() - "		
		Ø% < DQ		
	L	15,00		
	"	137 x 169		
		17,0:1		
	fl # ı	"# "	1500	
	fl ı	L	91,00	
		L	94,00	
AbsorbedAirDischargeReSourceKey.Text	' # "	33,00		
	' # "	690		
	' # "	83,00		
	° C	515		
		24 V d.c.		
	Load	%\$\$ı	'+)ı	)\$ı
	# "	95,90	74,30	51,30

		Mecc Alte
		ECP 40-3S
	Hz	50
	"	500
7cg'		0,80
		3
	fl ı	400/230
	A	721
Temperatur		H

		fl ı		fl ı	
	"	"	"	"	L
AC 500	4150	3560	1300	1970	660
		fl ı		fl ı	
	"	"	"	"	L
AK 80	5250	4900	1510	2500	850





# AC 500

Cummins  
Mecc Alte  
D+ &''

5? , \$!



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

1

f! \$\$! '%/\$\$ ' E'

ž

ž

1

ž

ž

ž

ž

'&\$\$#/( # "

	"	1510
f! "Ł	"	4900
f! "Ł	"	2500
		850